

GoldenPower®

SPECIAL ISSUE

www.goldenpower.com

Powering a Smarter Tomorrow



Enhance security with
dependable power source

Essential Guide to Portable Power Solutions



Professional Medical



Excellent reliability to
delicate devices

Beauty & Health

Looking good outside,
feeling great inside...
How to get the most
out of your device?



Brand Customization

The secret to
make your product sales
outpacing your rival:
Competitive insights.



We treasure
the mutual beneficial
relationship with our clients,
and our environment.


于持续互惠共生的关系中，
对客户、对环境，
我们同样珍视。



Smart Home

智能家居

Applicable Products 适用产品系列



Powered for
Smart Door Lock
智能门锁 适用



Alkaline Batteries
Smart Lock Battery
碱性电池 智能门锁电池

锁天下 锁天下

- 10 Years Shelf Life 十年备用
- Leak Proof 具备防漏性能

Powered for
**Smart Home Control,
LED Light, Smoke Detector**
家居智能遥控器、LED 灯、烟雾探测器 适用



Alkaline Batteries
Power Plus

碱性电池 劲力能量

- Cost Effective 经济之选
- Long Lasting & Dependable 长效可靠

Specifications shown in page
相关产品规格于以下页面展示 15

Powered for
**Garage Door Control,
Smart Car Key**
车房遥控器、智能汽车锁匙 适用



Specialties Batteries
Maxi Plus

特种极效电池 A23M

- Extended Shelf Life 超长储存寿命

Specifications shown in page
相关产品规格于以下页面展示 25

Powered for
Security System
防盗系统 适用



Lithium Batteries
Super Energy

锂锰电池 超强能量 CR123A

- High Energy Density 高能量密度
- Strong Power 功率强大


Specifications shown in page
相关产品规格于以下页面展示 28



Professional Medical

专业医疗

Applicable Products 适用产品系列



Powered for
Hearing Aid Devices
助听器 适用



Button Cell Batteries
Hi-Pro Hear / Maxi Hear
钮扣电池 专听系列 / 安听系列

- Strong Support for Variety of Hearing Device
支持不同类型助听器

Specifications shown in page 21
相关产品规格于以下页面展示



Powered for
**Pulse Oximeter,
Insulin Pump**
血氧脉搏计、胰岛素注射器 适用



Alkaline Batteries
Super Plus

碱性电池 超劲能量

- Superb Discharging Performance
超强放电

Specifications shown in page 15
相关产品规格于以下页面展示

Powered for
**Laryngoscope,
Insulin Delivery Device, Glucose Meter**
喉镜、胰岛素输送装置、血糖仪 适用



Button Cell Batteries
Hi-Pro Button

钮扣电池 专效钮电 LR41GH, LR44GH

- Steady Discharging Platform 稳定电量
- Leak Proof & Reliable 防漏设计

Specifications shown in page 23
相关产品规格于以下页面展示



Button Cell Batteries
Hi-Cap Lithium

钮扣电池 专业锂电 CR2032

- Prolonged Operation 优越表现

Specifications shown in page 26
相关产品规格于以下页面展示





Beauty & Health

美容健康

Applicable Products 适用产品系列



Powered for
**Cosmetic Device, Shaver,
Blood Pressure Monitor**
美容仪、须刨、血压计 适用



Alkaline Batteries
Super Plus
碱性电池 超劲能量

- Superb Discharging Performance
超强放电

Specifications shown in page
相关产品规格于以下页面展示

15



Powered for
Digital Thermometer
电子体温计 适用



Button Cell Batteries
Hi-Cap Lithium
钮扣电池 专业锂电 CR2032

- Prolonged Operation 优越表现



Button Cell Batteries
Hi-Pro Button
钮扣电池 专效钮电 LR41GH

- Steady Discharging Platform 稳定电量
- Leak Proof & Reliable 防漏设计



Button Cell Batteries
Hi-Pro Silver
钮扣电池 专效银电 SR41

- Prolonged Discharging Platform 高效放电

Specifications shown in page
相关产品规格于以下页面展示

26 23 22



Time & Leisure

時計消閑

Applicable Products 适用产品系列



Powered for
Wrist Watch
腕表 适用



Specifications shown in page
相关产品规格于以下页面展示

22 26



Button Cell Batteries
Hi-Pro Silver
钮扣电池 专效银电 SR41, SR621, SR626, SR920
- Prolonged Discharging Platform
高效放电



Button Cell Batteries
MAXi Silver
钮扣电池 极效银电 364X, 370X, 377X, 392X
- Ultimate Performance
极致放电



Button Cell Batteries
Hi-Cap Lithium
钮扣电池 专业锂电 CR2016, CR2025, CR2032
- Prolonged Operation
优越表现



Powered for
**Flashlight, Radio,
Walkie-Talkie, Night Light**
手电筒、收音机、对讲机、小夜灯 适用



Alkaline Batteries
Power Plus
碱性电池 劲力能量
- Cost Effective 经济之选
- Long Lasting & Dependable 长效可靠

Specifications shown in page
相关产品规格于以下页面展示

15





Daily Life

日常生活

Applicable Products 适用产品系列



Powered for
Gamepad, Computer Accessories, Electronic Toy, Clock, Electronic Scale
游戏机控制器、电脑配件、电动玩具、时钟、电子秤 适用



Alkaline Batteries Super Plus

碱性电池 超劲能量

- Superb Discharging Performance 超强放电

Specifications shown in page 15
相关产品规格于以下页面展示



Carbon Batteries Heavy Duty

碳性电池 高效能量

- Extraordinary Operating Power 优越放电

Specifications shown in page 19
相关产品规格于以下页面展示

Powered for
Electronic Scale, Calculator, Remote Control
电子秤、计算机、遥控器 适用



Button Cell Batteries Hi-Pro Button

钮扣电池 专效钮电 LR44GH, LR1130GH

- Steady Discharging Platform 稳定电量
- Budget-Fit Choice 经济之选

Specifications shown in page 23
相关产品规格于以下页面展示



Button Cell Batteries Hi-Cap Lithium

钮扣电池 专业锂电 CR2032

- Prolonged Operation 优越表现

Specifications shown in page 26
相关产品规格于以下页面展示





Brand Customization

品牌专属创制


Golden Power always keeps up with the trends and works with many famous brands as a strategic partner to provide marketing consultancy and services. In addition to the well established OEM business, a "Tailored Branding Creation" unit is specifically set up to serve the unique brand development of our customers, providing all-round professional advices on products categorization and manufacture according to market needs.

At Brand Customization, our dedicated elite team purposely work to blend in the essence of our customers' brand with product design and manufacture that require electrical power applications. As a result, the performance of our customers' products as well as the superb brand values are both maximized. Together, these bring to the end users excellent product experience, and in turn add values for the brand and also higher and higher sales revenue.

金力电池与时并进，不断为众多知名品牌提供策略性市场建议及服务。除基本固有的产品贴牌 OEM 制造外，更进一步为客户提供更贴合品牌发展方向的「品牌专属创制」服务，配合客户市场需要，为客户提供全方位专业意见、产品分类、制造等。

「品牌专属创制」的专项精英团队把客户品牌的独特理念融汇于电能应用的产品设计及生产，不单将客户的各类型产品的效能发挥得淋漓尽致，更匹配客户品牌的超卓形象，为用家带来无与伦比的使用体验，为品牌增值，为营销屡创佳绩。





GoldenPower®

Powering a Smarter Tomorrow 创先能源 开拓睿智新生代

Green Passion

Golden Power's signature series of eco-friendly batteries were born from our mission of creating batteries that are protective to our nature and harmless to our environment. The idea certainly corresponds to the universal values of resource efficiency and environmental protectionism. Our batteries are free from hazardous substances like mercury, lead and cadmium. They are definitely an iconic generation of green and sustainable battery products.

Together we collaborate and build a better life of well-being. Our battery products are suitable for a wide range of devices in our daily life which bring everyone a happier, healthier and more harmonious way of life.

绿色环保热诚

金力的环保电池系列以保护大自然，捍卫环境的理念研发而成，切合现今珍惜仅有资源，爱护地球的普世价值。环保电池系列采用无汞，无铅，无镉物料，绝对是新一代力量及全环保能源产品的标记。

金力致力与客户携手共建美好生活。我们的电池产品广泛适用于各种日常生活的电子仪器，为你带来更快乐、健康、和谐的优质生活。



Specifications & Packing
产品规格及包装

Alkaline Batteries

碱性电池

P. 15-18

Carbon Batteries

碳性电池

P. 19-20

Button Cell Batteries

钮扣电池

P. 21-26

Ni-MH Rechargeable Batteries

镍氢充电电池

P. 27

Lithium Batteries

锂电池

P. 28

Alkaline Batteries - Specifications & Packing

碱性电池 - 产品规格及包装



Power Plus 劲力能量

Cost Effective Option 经济之选



MODEL NUMBER 型号	NOMINAL VOLTAGE (V) 标准电压(伏)	DIMENSIONS (mm) 尺寸(毫米)				AVERAGE WEIGHT (g) 平均重量(克)	CROSS REFERENCE 参考编号			
		Diameter 直径	Length 长	Width 宽	Height 高		IEC	ANSI	JIS	Others
GLR03A	1.5	10.5	-	-	44.5	11.1	LR03	24A	AM-4	AAA,MN2400
GLR6A	1.5	14.5	-	-	50.5	22.9	LR6	15A	AM-3	AA,MN1500
GLR14A	1.5	26.2	-	-	50.0	66.5	LR14	14A	AM-2	C,MN1400
GLR20A	1.5	34.2	-	-	61.5	136.0	LR20	13A	AM-1	D,MN1300
GL6F22A	9.0	-	25.5	16.5	47.5	45.5	6LR61	1604A	6LR61	9V,MN1604
GLR08A	1.5	8.3	-	-	42.5	6.9	LR8D425	25A	LR8D425	AAAA
GLR52A	1.5	16.1	-	-	11.1	6.0	-	-	-	-
GLR1A	1.5	12.0	-	-	30.2	9.0	LR1	910A	LR1	MN9100
GLR50A	1.5	15.9	-	-	16.3	10.0	-	-	-	-
G3LR12	4.5	-	61.0	21.0	64.0	170.0	3LR12	3LR12	3LR12	MN1203
G4LR25	6.0	-	67.0	67.0	115.0	675.0	4LR25X	908A	4LR25X	MN908



Super Plus 超劲能量

Superb Discharging Performance 超强放电



MODEL NUMBER 型号	NOMINAL VOLTAGE (V) 标准电压(伏)	DIMENSIONS (mm) 尺寸(毫米)				AVERAGE WEIGHT (g) 平均重量(克)	CROSS REFERENCE 参考编号			
		Diameter 直径	Length 长	Width 宽	Height 高		IEC	ANSI	JIS	Others
GSLR03A	1.5	10.5	-	-	44.5	11.6	LR03	24A	AM-4	AAA,MN2400
GSLR6A	1.5	14.5	-	-	50.5	23.4	LR6	15A	AM-3	AA,MN1500
GSLR14A	1.5	26.2	-	-	50.0	74.0	LR14	14A	AM-2	C,MN1400
GSLR20A	1.5	34.2	-	-	61.5	137.8	LR20	13A	AM-1	D,MN1300
GSL6F22A	9.0	-	25.5	16.5	47.5	46.5	6LR61	1604A	6LR61	9V,MN1604



Power Stay 特效储量

10 Years Shelf Life 十年备用



MODEL NUMBER 型号	NOMINAL VOLTAGE (V) 标准电压(伏)	DIMENSIONS (mm) 尺寸(毫米)				AVERAGE WEIGHT (g) 平均重量(克)	CROSS REFERENCE 参考编号			
		Diameter 直径	Length 长	Width 宽	Height 高		IEC	ANSI	JIS	Others
GTLR03A	1.5	10.5	-	-	44.5	11.2	LR03	24A	AM-4	AAA,MN2400
GTLR6A	1.5	14.5	-	-	50.5	23.0	LR6	15A	AM-3	AA,MN1500

Scope of Product Application 产品应用范围



MaxiPro 极效能量

Ideal for High Power Draw 极效放电



MODEL NUMBER 型号	NOMINAL VOLTAGE (V) 标准电压(伏)	DIMENSIONS (mm) 尺寸(毫米)				AVERAGE WEIGHT (g) 平均重量(克)	CROSS REFERENCE 参考编号			
		Diameter 直径	Length 长	Width 宽	Height 高		IEC	ANSI	JIS	Others
GDLR03A	1.5	10.5	-	-	44.5	11.6	LR03	24A	AM-4	AAA,MN2400
GDLR6A	1.5	14.5	-	-	50.5	23.4	LR6	15A	AM-3	AA,MN1500

Blister Card

吸塑挂咕



10pcs Blister Card



4pcs Blister Card



12pcs Clamshell

Shrink Pack

索装吊咕



20pcs Shrink Pack



5pcs Shrink Pack



Alkaline Batteries - Specifications & Packing

碱性电池 - 产品规格及包装

Paper Box 纸盒



40pcs Paper Box



48pcs Paper Box

Plastic Box 胶盒



24pcs Plastic Box



20 + 20pcs Combo Plastic Box

Paper Tray 彩盘



40 + 20pcs Combo Paper Tray



Counter Display Unit 展示盒



30 Cards CDU

Display Rack 展示架



Eight Hooks Display Rack

Floor Display 座地展示架



Quarter Pallet Display



24 Windows Display

Carbon Batteries - Specifications & Packing

碳性电池 - 产品规格及包装



Super Heavy Duty 特超能量

Topmost Service Output 非凡放电



MODEL NUMBER 型号	NOMINAL VOLTAGE (V) 标准电压(伏)	DIMENSIONS (mm) 尺寸(毫米)				AVERAGE WEIGHT (g) 平均重量(克)	CROSS REFERENCE 参考编号		
		Diameter 直径	Length 长	Width 宽	Height 高		IEC	ANSI	JIS
GER03M	1.5	10.0	-	-	44.3	9.5	R03	24D	R03
GER6M	1.5	14.0	-	-	50.0	17.0	R6P	15D	R6P
GER14M	1.5	25.0	-	-	49.5	48.0	R14P	14D	R14P
GER20M	1.5	33.5	-	-	61.5	98.0	R20P	13D	R20P
GE6F22M	9.0	-	26.0	17.0	48.5	38.5	6F22	1604D/1604F	6F22
GE4R25	6.0	-	67.0	67.0	110.0	550.0	4R25X	908F/908D	4R25X



Heavy Duty 高效能量

Extraordinary Operating Power 优越放电



MODEL NUMBER 型号	NOMINAL VOLTAGE (V) 标准电压(伏)	DIMENSIONS (mm) 尺寸(毫米)				AVERAGE WEIGHT (g) 平均重量(克)	CROSS REFERENCE 参考编号		
		Diameter 直径	Length 长	Width 宽	Height 高		IEC	ANSI	JIS
GR03M	1.5	10.0	-	-	44.3	9.5	R03	24D	R03
GR6M	1.5	14.0	-	-	50.0	16.5	R6P	15D	R6P
GR14M	1.5	25.0	-	-	49.5	48.0	R14P	14D	R14P
GR20M	1.5	33.5	-	-	61.5	95.5	R20P	13D	R20P
G6F22M	9.0	-	26.0	17.0	48.5	36.0	6F22	1604D/1604F	6F22
G3R12	4.5	-	61.0	21.0	64.0	112.5	3R12S	-	3R12S
G4R25	6.0	-	67.0	67.0	110.0	496.6	4R25X	908F/908D	4R25X



Extra Heavy Duty 超效能量

Ideal for Daily Usage 家居常备



MODEL NUMBER 型号	NOMINAL VOLTAGE (V) 标准电压(伏)	DIMENSIONS (mm) 尺寸(毫米)				AVERAGE WEIGHT (g) 平均重量(克)	CROSS REFERENCE 参考编号		
		Diameter 直径	Length 长	Width 宽	Height 高		IEC	ANSI	JIS
SUM4	1.5	9.9	-	-	44.3	7.1	R03	24D	R03
SUM3	1.5	13.6	-	-	50.0	13.9	R6P	15D	R6P
SUM2	1.5	24.9	-	-	49.5	44.5	R14S	14D	R14S
SUM1	1.5	32.3	-	-	61.5	82.5	R20S	13D	R20S
S006P	9.0	-	26.0	17.0	48.5	36.0	6F22	1604D/1604F	6F22
SUM5	1.5	12.0	-	-	30.2	6.5	R1	-	R1

Scope of Product Application 产品应用范围



Tearing Pack 手撕咕



10pcs Tear Strip

Blister Card 吸塑挂咕



4pcs Blister Card

Paper Tray 彩盘



24pcs Paper Tray

Paper Box 纸盒



60pcs Paper Box

Shrink Pack 索装



4pcs Shrink Pack

Plastic Box 胶盒



28pcs Plastic Box

Button Cell Batteries - Specifications & Packing

钮扣电池 - 产品规格及包装

Hearing Aid Batteries 助听器电池



Hi-Pro Hear 安听电池

Strong Support for Hearing Device 标准之选

MODEL NUMBER 型号	NOMINAL VOLTAGE (V) 标准电压(伏)	DIMENSIONS (mm) 尺寸(毫米)	AVERAGE WEIGHT (g) 平均重量(克)	CROSS REFERENCE 参考编号
		Diameter 直径	Height 高	IEC Varta Panasonic
PR675	1.4	11.45	5.30	1.63 PR44 P675 PR675
PR13	1.4	7.80	5.22	0.82 PR48 P13 PR13
PR312	1.4	7.80	3.45	0.56 PR41 P312 PR312
PR10	1.4	5.73	3.45	0.32 PR70 P10 PR10



Maxi Hear 专听电池

Ideal for Digital Hearing Device 数码音效

MODEL NUMBER 型号	NOMINAL VOLTAGE (V) 标准电压(伏)	DIMENSIONS (mm) 尺寸(毫米)	AVERAGE WEIGHT (g) 平均重量(克)	CROSS REFERENCE 参考编号
		Diameter 直径	Height 高	IEC Varta Panasonic
PH675	1.4	11.45	5.30	1.65 PR44 P675 PR675
PH13	1.4	7.80	5.22	0.84 PR48 P13 PR13
PH312	1.4	7.80	3.45	0.58 PR41 P312 PR312
PH10	1.4	5.73	3.45	0.33 PR70 P10 PR10

Dial Pack 转盘咭装

Maxi Hear



6pcs Dial Pack

Hi-Pro Hear



6pcs Dial Pack

Blister Card 吸塑挂咭

Hi-Pro Hear



2pcs Blister Card

Scope of Product Application 产品应用范围



Silver Oxide Button Cell 氧化银电池



Hi-Pro Silver 专效银电

Prolonged Discharging Platform 高效放电



Maxi Silver 极效银电

Ultimate Performance 极致放电

MODEL NUMBER 型号	NOMINAL VOLTAGE (V) 标准电压(伏)	DIMENSIONS (mm) 尺寸(毫米)	AVERAGE WEIGHT (g) 平均重量(克)	CROSS REFERENCE 参考编号
		Diameter 直径	Height 高	IEC Energizer Varta Maxell
SR44	1.55	11.60	5.40	2.10 SR44 357 303 V357MF SR44W
SR43	1.55	11.60	4.20	1.60 SR43 386 301 V386MF SR43W
SR721	1.55	7.90	2.10	0.41 SR58 361 362 V361MF SR721W
SR1130	1.55	11.60	3.05	1.35 SR54 389 390 V389MF SR1130W
SR936	1.55	9.50	3.60	1.10 SR55 391 381 V391MF SR936SW
SR1120	1.55	11.60	2.10	0.93 SR55 391 381 V381MF SR1120W
SR926	1.55	9.50	2.70	0.67 SR57 399 395 V399MF SR927W
SR920	1.55	9.50	2.10	0.63 SR69 370 371 V370MF SR920W
SR754	1.55	7.90	5.40	0.99 SR48 393 309 V393MF SR754W
SR626	1.55	6.80	2.60	0.37 (377S) / 0.40 (377X) SR66 376 377 V377MF SR626W
SR41	1.55	7.90	3.60	0.66 SR41 392 384 V392MF SR41W
SR726	1.55	7.90	2.60	0.48 (396S) / 0.50 (396X) SR59 396 397 V396MF SR726W
SR621	1.55	6.80	2.15	0.29 (364S) / 0.37 (364X) SR60 364 V364MF SR621SW
SR616	1.55	6.80	1.65	0.23 SR65 321 V321MF SR616SW
SR527	1.55	5.80	2.70	0.31 SR64 319 V319MF SR527SW
SR521	1.55	5.80	2.15	0.21 SR64 319 V319MF SR521SW
SR516	1.55	5.80	1.65	0.18 SR62 317 V317MF SR516SW
SR512	1.55	5.80	1.25	0.13 SR62 317 V317MF SR512SW
SR716	1.55	7.90	1.65	0.33 SR67 315 V315MF SR716SW
SR731	1.55	7.90	3.10	0.58 SR67 315 V315MF SR731SW

Button Cell Batteries - Specifications & Packing

钮扣电池 - 产品规格及包装

Alkaline Button Cell 碱性钮扣电池



Hi-Cap Button 专业钮电

Budget Fit Choice 经济之选



MODEL NUMBER 型号	NOMINAL VOLTAGE (V) 标准电压(伏)	DIMENSIONS (mm) 尺寸(毫米)		AVERAGE WEIGHT (g) 平均重量(克)	CROSS REFERENCE 参考编号				
		Diameter 直径	Height 高		IEC	Energizer	Varta	Maxell	Ref
LR44G	1.5	11.60	5.40	1.95	LR44	A76	V13GA	LR44	357
LR43G	1.5	11.60	4.20	1.50	LR43	186	V12GA	LR43	386
LR1130G	1.5	11.60	3.02	1.09	LR54	189	V10GA	LR1130	389
LR41G	1.5	7.90	3.60	0.61	LR41	192	V3GA	LR41	392



Hi-Pro Button 专效钮电

Excellent Leak-proof Technology 高效防漏



MODEL NUMBER 型号	NOMINAL VOLTAGE (V) 标准电压(伏)	DIMENSIONS (mm) 尺寸(毫米)		AVERAGE WEIGHT (g) 平均重量(克)	CROSS REFERENCE 参考编号				
		Diameter 直径	Height 高		IEC	Energizer	Varta	Maxell	Ref
LR44GH	1.5	11.60	5.40	1.95	LR44	A76	V13GA	LR44	357
LR43GH	1.5	11.60	4.20	1.50	LR43	186	V12GA	LR43	386
LR721GH	1.5	7.90	2.00	0.39	LR58	-	-	-	361
LR1130GH	1.5	11.60	3.02	1.09	LR54	189	V10GA	LR1130	389
LR936GH	1.5	9.50	3.60	0.90	LR45	-	-	-	394
LR1120GH	1.5	11.60	2.10	0.79	LR55	191	V8GA	LR1120	391
LR926GH	1.5	9.50	2.70	0.71	LR57	-	-	-	399
LR920GH	1.5	9.50	2.10	0.60	-	-	-	-	370
LR754GH	1.5	7.90	5.40	0.89	LR48	193	-	-	393
LR626GH	1.5	6.80	2.60	0.34	LR66	-	-	-	377
LR41GH	1.5	7.90	3.60	0.61	LR41	192	V3GA	LR41	392
LR726GH	1.5	7.90	2.60	0.47	LR59	196	-	LR726	396
LR621GH	1.5	6.80	2.15	0.28	-	-	-	-	364
LR521GH	1.5	5.80	1.85	0.21	-	-	-	-	379
LR616GH	1.5	6.80	1.65	0.22	-	-	-	-	321
625GH	1.5	16.00	6.20	3.28	LR9	EPX625G	V625U	-	625

Scope of Product Application 产品应用范围



Blister Card 吸塑挂咭



1pc Blister Card



5pcs Blister Card



10pcs Blister Card



14pcs Combo Blister Card



24pcs Combo Blister Card

Counter Display Unit 展示盒



40 Cards CDU / 36pcs Combo Blister Card



60 Cards CDU



Button Cell Batteries - Specifications & Packing

钮扣电池 - 产品规格及包装

Specialties Batteries 特种电池



Maxi Plus 极效电池

Extended Shelf Life 超长寿命



MODEL NUMBER 型号	NOMINAL VOLTAGE (V) 标准电压(伏)	DIMENSIONS (mm) 尺寸(毫米)		AVERAGE WEIGHT (g) 平均重量(克)	CROSS REFERENCE 参考编号				
		Diameter 直径	Height 高		IEC	Energizer	Varta	Maxell	Ref
A23M	12.0	10.10	28.50	7.95	-	-	23A, V23GA	-	-
A27M	12.0	7.90	28.00	4.90	-	-	27A	-	-
A22M	9.0	10.10	22.50	6.06	-	-	LR1022	-	-
A32M	9.0	7.90	22.00	3.90	-	-	-	-	-
A21M	6.0	10.30	16.50	3.60	-	-	-	-	-
A25M	6.0	8.00	14.00	2.10	-	-	-	-	-
PX28M	6.0	13.00	25.20	10.10	4LR44	A544	-	V403PX	4LR44
PX27M	6.0	12.60	20.50	7.80	4LR43	-	-	-	4LR43

Blister Card 吸塑挂咭



1pc Blister Card

Tearing Pack 手撕咭



5pcs Tear Strip

Scope of Product Application 产品应用范围



Lithium Batteries 碱性钮扣电池



Hi-Cap Lithium 锂锰钮扣电池

Prolonged Operation 优越表现



MODEL NUMBER 型号	NOMINAL VOLTAGE (V) 标准电压(伏)	DIMENSIONS (mm) 尺寸(毫米)		AVERAGE WEIGHT (g) 平均重量(克)	CROSS REFERENCE 参考编号			
		Diameter 直径	Height 高		IEC	Energizer	Varta	Panasonic
CR1216	3.0	12.50	1.60	0.70	CR1216	CR1216	CR1216	CR1216
CR1220	3.0	12.50	2.00	0.80	CR1220	CR1220	CR1220	CR1220
CR1616	3.0	16.00	1.60	1.20	CR1616	CR1616	CR1616	CR1616
CR1620	3.0	16.00	2.00	1.30	CR1620	-	-	CR1620
CR1632	3.0	16.00	3.20	2.00	CR1632	CR1632	CR1632	CR1632
CR2016	3.0	20.00	1.60	1.70	CR2016	CR2016	CR2016	CR2016
CR2025	3.0	20.00	2.50	2.30	CR2025	CR2025	CR2025	CR2025
CR2032	3.0	20.00	3.20	2.80	CR2032	CR2032	CR2032	CR2032
CR2330	3.0	23.00	3.00	3.80	CR2330	-	CR2330	CR2330
CR2430	3.0	24.50	3.00	4.20	CR2430	CR2430	CR2430	-
CR2450	3.0	24.50	5.00	5.80	CR2450	-	-	-

Blister Card 吸塑挂咭



5pcs Tear Strip

Child Resistant Pack 儿童防误食包装



Child Resistant Packaging

Counter Display Unit 展示盒



60 Cards CDU

Ni-MH Rechargeable Batteries - Specifications & Packing

镍氢充电电池 - 产品规格及包装



Standard 可充能量

Tremendous Charging Cycles 再生循环



SIZE 尺寸	BATTERY CHARACTERISTICS 电池特性		DIMENSIONS (mm) 尺寸(毫米)			
	Voltage (V) 电压(伏)	Capacity (mAh) 容量(毫安培小时)	Consumer Type 家用 Diameter 直径 Height 高		Industrial Type 工业用 Diameter 直径 Height 高	
AAA	1.2	500 - 1000	10.0	44.0	10.0	43.0
AA	1.2	800 - 2500	14.0	49.5	14.0	48.0
C	1.2	3500 - 4500	26.0	50.5	26.0	48.5
D	1.2	7000 - 9000	32.5	62.0	32.5	61.0
6F22	8.4	200 / 250	26.0(L) x 15.5(W) x 48.0(H)			



Eco Ready 储效能量

Ready to Run 随时候命



SIZE 尺寸	BATTERY CHARACTERISTICS 电池特性		DIMENSIONS (mm) 尺寸(毫米)	
	Voltage (V) 电压(伏)	Capacity (mAh) 容量(毫安培小时)	Diameter 直径	Height 高
AAA	1.2	800 - 900	10.5	44.5
AA	1.2	2000 - 2400	14.5	50.5

SIZE 尺寸	BATTERY CHARACTERISTICS 电池特性		DIMENSIONS (mm) 尺寸(毫米)	
	Voltage (V) 电压(伏)	Capacity (mAh) 容量(毫安培小时)	Diameter 直径	Height 高
C	1.2	3000	26.2	50.0
D	1.2	3000 - 5700	34.2	61.5
6F22	8.4	150	26.0(L) x 15.5(W) x 48.0(H)	

Blister Card

吸塑挂咭



4pcs Blister Card



2pcs Blister Card



1pc Blister Card

Scope of Product Application 产品应用范围



Lithium Batteries - Specifications & Packing

锂电池 - 产品规格及包装



Super Energy 超强能量

Long Lasting & Durable 持久耐用



MODEL NUMBER 型号	NOMINAL VOLTAGE (V) 标准电压(伏)	DIMENSIONS (mm) 尺寸(毫米)				AVERAGE WEIGHT (g) 平均重量(克)	CROSS REFERENCE 参考编号
		Diameter 直径	Length 长	Width 阔	Height 高		
FR6	1.5	14.1	-	-	50.4	16	FR14505/AA
FR03	1.5	10.5	-	-	44.5	7.3	FR10445/AAA
CR123A	3.0	17	-	-	34.5	16.5	CR17345
CR2	3.0	15.5	-	-	27.3	11	CR15H270
CP9V	9.0	-	26.3	17	48.5	41	CR9V

Blister Card

吸塑挂咭



4pcs Blister Card



1pc Blister Card



1pc Blister Card

Scope of Product Application 产品应用范围



GoldenPower®

www.goldenpower.com

Headquarter in Hong Kong 香港总部

Golden Power Corporation (Hong Kong) Limited

金力企业 (香港) 有限公司

(a member of Golden Power 金力集团成员)

Flat C, 20/F, Block 1, Tai Ping Industrial Centre,

57 Ting Kok Road, Tai Po, N.T., Hong Kong

Tel 电话: (852) 3125 2288

Fax 传真: (852) 3125 2000 / 3125 2001

Email 电邮: battery@goldenpower.com

Sales Office in China 中国营销部

Goldtium (Jiangmen) Energy Products Company Limited

江门金刚电源制品有限公司

(a member of Golden Power Group 金力集团成员)

Building 1 & 2, No. 83, Yongsheng Road, Jiangmen,

Guangdong, P.R.China (Postal Code: 529000)

Tel 电话: (86) 750 350 0088

Fax 传真: (86) 750 350 0038

Email 电邮: battery@goldenpower.com



ISO 14001 : 2015
Certificate No.: CC 5009



ISO 9001 : 2015
Certificate No.: CC 5010



ISO 9001 : 2015
Certificate No.: CC 5932



SA 8000 : 2014
Certificate No.: CC 5704



SA 8000 : 2014
Certificate No.: CC 5623



5001 0029